

DynamicIDioms – A Computational Tool for the Development of Dynamic Visual Identities

Rita Estevinha¹, João M. Cunha², and Tiago Martins²

¹University of Coimbra, Department of Informatics Engineering

²University of Coimbra, CISUC/LASI – Centre for Informatics and Systems of the University of Coimbra, Department of Informatics Engineering

Abstract

The brand design field has been witnessing a shift towards Dynamic Visual Identities, particularly System-based Visual Identities, which ensure brand recognition through a coherent visual language rather than relying on a singular graphic mark. Although increasingly relevant, this domain remains underexplored, with limited resources available to guide designers in its development. To address this gap, we present a web-based tool, which has the goal of supporting the creation of visual identities.

Keywords

Dynamic Visual Identities, Flexible Visual Systems, Visual Languages, Brand Design, Graphic Design, Communication Design, Computational Design

1. Context

The rise of new technologies has led to the emergence of Dynamic Visual Identities (DVI) [1]. Brands in today's landscape face the challenge of having to adapt to an ever-expanding range of formats and mediums, both online and offline [2,3].

One increasingly prominent form of DVI is based on an approach that ensures brand recognition through a visual language rather than a singular graphic mark, i.e. logo [4]. These identities can be automated through computational approaches, which enable the production of a broader range of outcomes with reduced manual effort [4]. Despite its growing relevance, the design field remains mainly rooted in traditional approaches, with limited resources to guide designers into this new trend [5].

2. The tool – DynamicIDioms

To address this gap, we propose the web-based tool *DynamicIDioms*, shown in Figure 1, designed to offer a comprehensive toolkit for the development of Dynamic Visual Systems. This is achieved by following the DVI taxonomy presented by Martins et al. [6] and implementing the proposed variation mechanisms in an easy-to-use interface, enabling users to apply and combine forms of dynamism to their own designs (see Figure 2).

The tool also showcases the potential of parametric and automated design processes to achieve varied outcomes – an expanding approach in the design field [5]. By doing so, it serves both as a practical resource and an educational platform for designers navigating this evolving area of brand design.

✉ ritaestevinhasilva@gmail.com (R. Estevinha); jmacunha@dei.uc.pt (J. M. Cunha); tiagofm@dei.uc.pt (T. Martins)



© 2023 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).



Figure 1: *DynamicDioms* user interface.




Figure 2: User-given elements undergo variation mechanisms, generating distinct previews in each iteration that can be adapted to multiple formats.

DynamicDioms is built using web technologies – HTML, CSS, and JavaScript – and is available online to ensure broad accessibility for users, aiming to position it as a valuable educational resource.

As seen in Figure 1, the user interface is well-structured, with dividing lines between sections and buttons. The light grey background emphasises the canvas area – where the visual outcomes are

displayed — while providing a good contrast with the remaining interface elements. The main interface is composed of the canvas, a button to manipulate the canvas background, buttons corresponding to the uploaded graphic elements, and other functionalities such as format, export and access to the gallery. These interface features always remain visible, supporting an uninterrupted workflow and user orientation. Collectively, these features enhance usability while supporting playful parameter-driven visual experimentation.

The website architecture is structured around the features that will be detailed in the following subsections.

2.1. Graphic Elements

Users upload one or multiple SVG files that are parsed and rendered within the DOM and placed in the canvas — the area where visual results are displayed. Buttons corresponding to each uploaded SVG pop up in at the top of the interface as tabs. Elements appear in the order in which they are uploaded, determining their stacking position, either above or below other elements. If users want to change their order, elements can be rearranged by dragging and dropping their corresponding buttons. Additionally, each button has an option for deleting, allowing to easily remove elements that are not desirable anymore.

Each graphic element has its own dedicated section for customisation, which is expanded or collapsed when clicking on the corresponding buttons. When an element is selected, the remaining are dimmed by adjusting their opacity. This facilitates the identification of which element is being manipulated.

2.2. Composition

Users can decide if graphic elements are static or dynamic. Static elements stay equal in each iteration, while dynamic elements are variable. For each element, there is a menu “composition” where users can define the elements position, degree of rotation, size, and colour.

2.3. Variation Mechanisms

For dynamic elements users can select one or a combination of the following variation mechanisms: colour variation, content variation, position, repetition, rotation, scale, shape transformation. Variation mechanisms are the only interface elements that have bright colours to highlight their importance on the development of dynamism.

Each mechanism triggers JavaScript functions that apply CSS transformations to the SVG element. For each variation mechanism users can define a range of values (minimum and maximum) with a dual-handle slider, in which the variation will occur. For colour variation and content variation, users select a number of colours or upload a set of images that will be picked randomly for each iteration.

Users can select and combine different variation mechanisms to explore diverse forms of dynamism, as demonstrated in Figure 2. The sequence in which these mechanisms are applied influences the results, e.g. applying rotation before repetition results in the repetition of the rotated element, whereas applying repetition before rotation results in the rotation of the repeated elements. The interface allows an easy way to delete applied variation mechanisms and enables the reordering of mechanisms via a drag-and-drop functionality, providing users a easy way to experiment with different forms of dynamism.

2.4. Dynamism

Below the canvas, a button “GIVE ME DYNAMISM!” allows the generation of dynamism. This button triggers a function that gets the values of all dynamic elements and randomises them, enabling users to check varied results with each click. This button is of higher importance because not only it

demonstrates the visual dynamism but also how parametric and automated systems can quickly generate diverse outcomes.

Given its central role in the experimental process, it has been deliberately positioned at the centre of the interface and visually distinguished from other interface elements.

2.5. Layout

Options like “1×1”, “4×5”, “16×9”, or custom dimensions allow users to change the canvas size and test their visuals in different formats. When the size is changed, graphic elements adapt their positions to the new format.

2.6. Export

The generated images can be exported in PNG format. Furthermore, users can download a text file containing the underlying grammar of that experiment. These values represent the rules of the visual language, detailing the variation mechanisms and the respective range of values of each dynamic element. This allows users to understand the parameters that generated that visual language.

2.7. Gallery

Users can save their favourite results in a gallery section by clicking the “save to gallery” button. In the context of visual identities, this feature is critical as it enables users to review multiple generated options side by side, highlighting the overall coherence across variations. The gallery helps users perceive the experiment not as isolated results, but as a unified, dynamic system. While the “GIVE ME DYNAMISM” button provides a sense of real-time variability, it is the whole that reveals the full potential of the visual language, as demonstrated in Figure 3. Additionally, users can export all saved gallery visuals together in PNG format for further use.




Figure 3: Gallery.

3. Applications

The tool has proven to be a valuable resource to users, not only to understand the mechanisms behind dynamic identities but also as a creative aid, given its unpredicted results. Due to the possibility of using personal designs and to the amount of variation mechanisms that can be combined in different ways, the possibilities for outputs are unlimited, as evidenced by the examples in Figure 4. It is also possible to observe that each experiment achieves dynamism while maintaining coherence, as each

iteration is based on the same set of rules. Moreover, this tool highlights the advantages of using computational tools, not only for designing coherent visual systems but also for expanding creativity.




Figure 4: Examples of applications, showcasing the possibilities and potential of the tool to create diverse visual languages.

References

- [1] I. van Nes, *Dynamic identities: how to create a living brand*. Amsterdam: BIS Publishers, 2012.
- [2] viction:ary, *Dynamic branding: responsive graphics for brands of today*. North Point, Hong Kong: viction:workshop Ltd, 2024.
- [3] S. Wang and A. Tan, Eds., *Graphics on the move: the thinking and application of motion graphics*. Barcelona: Hoaki, 2024.
- [4] M. Lorenz, *Flexible Visual Systems: the design manual for contemporary visual identities*, 1st edition. Karlsruhe: Slanted, 2021.
- [5] R. van Leijssen, D. Conrad, and S. Lorusso, *Graphic Design in the Post-Digital Age A Survey of Practices Fueled by Creative Coding*. in Set margins', no. 15. Set Margins' publications, 2023.
- [6] T. Martins, J. Cunha, J. Bicker, and P. Machado, Dynamic Visual Identities: From a Survey of the State-Of-The-Art to a Model of Features and Mechanisms, *Visible Language*, vol. 53, pp. 4–35, Aug. 2019, doi: 10.34314/vl.v53i2.4649.